

STANDARD DATA FORM

FOR SPECIAL PROTECTION AREAS (SPA), PROPOSED SITES OF COMMUNITY IMPORTANCE (pSCI), SITES OF COMMUNITY IMPORTANCE (pSCI) AND FOR SPECIAL AREAS OF CONSERVATION (SAC)

1. SITE IDENTIFICATION

1.1 TYPE

B

1.2 SITECODE

SBA-SAC03

1.3. SITE NAME

Agios Nicolaos

1.4. COMPILATION DATE

201505

YYYYMM

1.5. UPDATE

-

YYYYMM

1.6. RESPONDENT:

Name/Organisation:
 SBAA Environment Department
 Care of Area Office Dhekelia
 Address: Area Office Dhekelia, BFPO 58
 Email: aosbaadhk@cytanet.com.cy

1.7. SITE INDICATION AND DESIGNATION/CLASSIFICATION DATES

DATE SITE PROPOSED AS SCI:

201505

YYYYMM

DATE SITE CONFIRMED AS SCI:

DATE SITE CLASSIFIED AS SPA:

YYYYMM

DATE SITE DESIGNATED AS SAC:

2. SITE LOCATION

2.1. SITE CENTRE LOCATION (decimal degrees)

LONGITUDE

33.8806

LATITUDE

35.1065

2.2. AREA (ha):

2.3. MARINE AREA (%):

379	-
-----	---

2.4. SITE LENGTH (Km):

--

2.5. ADMINISTRATIVE REGION:

NUTS CODE	REGION NAME
CY03	Ammochostos District
UKZZ	ESBA

2.6. BIOGEOGRAPHIC REGION(S):

in %

Alpine	-	Boreal	-	Mediterranean	100
Atlantic	-	Continental	-	Pannonian	-
Black Sea	-	Macaronesia	-	Stepic	-

Additional information on marine regions

in %

Marine Atlantic	-	Marine Mediterranean	-
Marine Black Sea	-	Marine Macaronesian	-
Marine Baltic Sea	-		

3. ECOLOGICAL INFORMATION

3.1. Habitat types present on the site and site evaluation for them:

CODE	PF	NP	COVER (ha)	CAVES (number)	DATA QUALITY	REPRESENTATIVITY	RELATIVE SURFACE	CONSERVATION STATUS	GLOBAL ASSESSMENT
1420			1,2		G	D	C	C	C
1430			0,1		G	C	C	C	C
2110			0,2		G	C	C	C	C
3170*			0,2		G	D	C	C	C
3170* + 5220			6,1		G	A	A	A	A
5220*			44,2		G	A	A	A	A
5220*+6220*			1,4		G	A	A	A	A
5420			3,8		G	A	C	A	A
6220*			1,5		G	B	C	B	B
92D0			8,8		G	D	C	C	C
Unspecified habitat type*			1,34		G				

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter 'x' in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional).

Cover: decimal values can be entered.

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation).

NATURA 2000 DATA FORM

3.2. Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II to Directive 92/43/EEC and site evaluation for them

SPECIES					POPULATION ON THE SITE					SITE ASSESSMENT				
GROUP	CODE	SCIENTIFIC NAME	S	NP	TYPE	SIZE		UNIT	CAT.	DATA QUALITY	POP.	CONS.	ISOL.	GLOBAL
						MIN	MAX							
B	A229	<i>Alcedo atthis</i>			C,W				R	DD	C	C	C	C
B	A255	<i>Anthus campestris</i>			C				R	DD	C	B	C	C
B	A029	<i>Ardea purpurea</i>			C				R	DD	C	C	C	C
B	A024	<i>Ardeola ralloides</i>			C				R	DD	C	C	C	C
B	A133	<i>Burhinus oedicephalus</i>			C				R	DD	C	A	C	A
B	A243	<i>Calandrella brachydactyla</i>			C				C	DD	C	B	C	B
B	A081	<i>Circus aeruginosus</i>			C,W				R	DD	C	C	C	C
B	A084	<i>Circus pygargus</i>			C				R	DD	C	C	C	C
B	A231	<i>Coracias garrulus</i>			C,R				R	DD	C	C	C	C
B	A026	<i>Egretta garzetta</i>			C				C	DD	C	C	C	C
B	A447	<i>Emberiza caesia</i>			C,R				C	DD	C	C	C	C
B	A097	<i>Falco vespertinus</i>			C				R	DD	B	C	C	C
B	A321	<i>Ficedula albicollis</i>			C				R	DD	B	C	C	C

NATURA 2000 DATA FORM

B	A418	<i>Hoplopterus spinosus</i>			C				R	DD	C	C	C	C
B	A022	<i>Ixobrychus minutus</i>			C				R	DD	C	C	C	C
B	A338	<i>Lanius collurio</i>			C				C	DD	C	B	C	C
B	A339	<i>Lanius minor</i>			C				C	DD	C	B	C	C
B	A433	<i>Lanius nubicus</i>			C,P				C	DD	C	B	C	C
B	A246	<i>Lullula arborea</i>			C,W				R	DD	C	C	C	C
B	A242	<i>Melanocorypha calandra</i>			P				P	DD	C	B	C	C
M	1310	<i>Miniopterus schreibersii</i>			P				P	DD	C	B	C	C
B	A023	<i>Nycticorax nycticorax</i>			C				R	DD	C	C	C	C
B	A467	<i>Oenanthe cyprica</i>			C,P				C	DD	C	C	C	C
B	A072	<i>Pernis apivorus</i>			C				C	DD	C	C	C	C
B	A151	<i>Philomachus pugnax</i>			C				R	DD	C	C	C	C
B	A120	<i>Porzana parva</i>			C				P	DD	D	C	C	C
B	A119	<i>Porzana porzana</i>			C				P	DD	D	C	C	C
B	A121	<i>Porzana pusilla</i>			C				P	DD	D	C	C	C
M	1303	<i>Rhinolophus hipposideros</i>			P				P	DD	C	B	C	C
B	A468	<i>Sylvia melanothorax</i>			P				C	DD	C	C	C	C
B	A440	<i>Sylvia rueppelli</i>			C				R	DD	C	B	C	C

NATURA 2000 DATA FORM

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes.

NP: in case that a species is no longer present in the site enter: x (optional).

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent).

Unit: i = Individuals, p = pairs or other units according to the standardised list of population units and codes in accordance with Articles 12 and 17 reporting (see reference portal).

Abundance categories (CAT.): C = common, R = rare, V = very rare, P = present – to fill if data quality are deficient (DD) or in addition to population size information.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); DD = Data deficient (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field 'Abundance categories' has to be filled in).

NATURA 2000 DATA FORM

3.3. Other important species of flora and fauna (optional)

SPECIES					POPULATION IN THE SITE			MOTIVATION						
GROUP	CODE	SCIENTIFIC NAME	S	NP	SIZE		UNIT	CAT.	SPECIES ANNEX		OTHER CATEGORIES			
					MIN	MAX			IV	V	A	B	C	D
R	1276	<i>Ablepharus kitaibelii</i>						R	X				X	
R	1746	<i>Acanthodactylus schreiberi</i>						C					X	
I		<i>Acmaeodera flavolineata cypricola</i>						C				X		
M	1748	<i>Acomys nesiotus</i>						P				X		
B	A168	<i>Actitis hypoleucos</i>						P					X	
I		<i>Agapanthia nicosiensis</i>						R				X		
B	A247	<i>Alauda arvensis</i>						C					X	
B	A411	<i>Alectoris chukar</i>						C					X	
B	A052	<i>Anas crecca</i>						P					X	
B	A053	<i>Anas platyrhynchos</i>						P					X	

NATURA 2000 DATA FORM

B	A055	<i>Anas querquedula</i>						P					X	
I		<i>Anoxia baraudi</i>						P					X	
I		<i>Anthaxia brevis cypriota</i>						C					X	
P		<i>Anthemis tricolor</i>						C	X				X	
B	A258	<i>Anthus cervinus</i>						R					X	
B	A257	<i>Anthus pratensis</i>						P					X	
B	A259	<i>Anthus spinoletta</i>						P					X	
B	A256	<i>Anthus trivialis</i>						P					X	
B	A226	<i>Apus apus</i>						C					X	
B	A028	<i>Ardea cinerea</i>						P					X	
B	A218	<i>Athene noctua</i>						P					X	
I		<i>Blaps splichali</i>						R					X	
I		<i>Blepharopsis mendica</i>						R						X
B	A025	<i>Bubulcus ibis</i>						P					X	
A	1201	<i>Bufo viridis</i>						C					X	

NATURA 2000 DATA FORM

I		<i>Carabus anatolicus anatolicus</i>						P				X		
B	A366	<i>Carduelis cannabina</i>						C					X	
B	A364	<i>Carduelis carduelis</i>						C					X	
I		<i>Cephalostenus alziari</i>						R				X		
B	A288	<i>Cettia cetti</i>						P					X	
R	1274	<i>Chalcides ocellatus</i>						C	X				X	
R	1235	<i>Chamaeleo chamaeleon</i>						R	X				X	
B	A136	<i>Charadrius dubius</i>						P					X	
B	A137	<i>Charadrius hiaticula</i>						P					X	
I		<i>Chazara briseis larnacana</i>						C				X		
B	A363	<i>Chloris chloris</i>						C					X	
I		<i>Chrysis inaequalis cyprensis</i>						P				X		
I		<i>Chrysis pyrrhina cypria</i>						C				X		
B	A289	<i>Cisticola juncidis</i>						C					X	

NATURA 2000 DATA FORM

R	1280	<i>Coluber jugularis</i>						C	X				X	
B	A113	<i>Coturnix coturnix</i>						R					X	
B	A212	<i>Cuculus canorus</i>						R					X	
R	6154	<i>Cyrtodactylus kotschy</i>						C	X				X	
B	A253	<i>Delichon urbica</i>						P					X	
I		<i>Deroceras famagustensis</i>						R				X		
B	A383	<i>Emberiza calandra</i>						C					X	
B	A269	<i>Erithacus rubecula</i>						C					X	
I		<i>Euchondrus parreyssi</i>						C				X		
I		<i>Euchondrus nucifragus</i>						C				X		
I		<i>Eupholidoptera cypria</i>						C				X		
B	A096	<i>Falco tinnunculus</i>						C					X	
B	A322	<i>Ficedula hypoleuca</i>						P					X	
B	A603	<i>Francolinus francolinus</i>						R					X	

NATURA 2000 DATA FORM

B	A359	<i>Fringilla coelebs</i>						R					X	
B	A125	<i>Fulica atra</i>						P					X	
B	A244	<i>Galerida cristata</i>						C					X	
B	A153	<i>Gallinago gallinago</i>						P					X	
B	A123	<i>Gallinula chloropus</i>						P					X	
I		<i>Helicella juglans</i>						P				X		
I		<i>Helicopsis cypriola</i>						P				X		
I		<i>Helix texta</i>						R						X
R	2382	<i>Hemidactylus turcicus</i>						C					X	
R	5666	<i>Hemidactylus turcicus turcicus</i>						C					X	
M	1877	<i>Hemiechinus auritus</i>						C						X
R	6153	<i>Hemorrhois nummifer</i>						C	X				X	
I		<i>Hipparchia cypriensis</i>						C				X		
B	A299	<i>Hippolais icterina</i>						R					X	
B	A252	<i>Hirundo daurica</i>						P					X	

NATURA 2000 DATA FORM

B	A251	<i>Hirundo rustica</i>						C					X	
A	2362	<i>Hyla savignyi</i>						C					X	
I		<i>Isophya mavromoustakisi</i>						R				X		
B	A233	<i>Jynx torquilla</i>						R					X	
R	5679	<i>Lacerta laevis troodica</i>						R				X	X	
B	A341	<i>Lanius senator</i>						C					X	
R	5682	<i>Laudakia stellio cypriaca</i>						C	X			X	X	
B	A270	<i>Luscinia luscinia</i>						P					X	
B	A271	<i>Luscinia megarhynchos</i>						P					X	
B	A272	<i>Luscinia svecica</i>						R						
I		<i>Lycaena thersamon</i>						R						X
R	2441	<i>Mabuya vittata</i>						R					X	
R	5710	<i>Macrovipera lebetina</i>						C					X	
R	2466	<i>Malpolon monspessulanus</i>						R					X	
P	1706	<i>Mandragora officinarum</i>						V	X					

NATURA 2000 DATA FORM

I		<i>Maniola cypricola</i>						C				X		
B	A230	<i>Merops apiaster</i>						C					X	
B	A258	<i>Motacilla alba</i>						C					X	
B	A261	<i>Motacilla cinerea</i>						R					X	
B	A260	<i>Motacilla flava</i>						C					X	
I		<i>Multidentula stylus</i>						C				X		
M	1947	<i>Mus cypriacus</i>						P				X		
B	A319	<i>Muscicapa striata</i>						C					X	
I		<i>Nychiodes aphrodite</i>						P				X		
B	A278	<i>Oenanthe hispanica</i>						C					X	
B	A435	<i>Oenanthe isabelina</i>						C					X	
B	A277	<i>Oenanthe oenanthe</i>						C					X	
P		<i>Onobrychis venosa</i>						C				X		
P		<i>Onopordum cyprium</i>						C				X		
R	5772	<i>Ophisops elegans schlueteri</i>						C	X			X	X	

NATURA 2000 DATA FORM

P		<i>Ophrys umbilicata</i>						V					X	
P		<i>Orchis sancta</i>						V					X	
B	A330	<i>Parus major</i>						C					X	
B	A355	<i>Passer hispaniolensis</i>						C					X	
I		<i>Pelopidas thrax</i>						R						X
B	A273	<i>Phoenicurus ochruros</i>						P					X	
B	A274	<i>Phoenicurus phoenicurus</i>						P					X	
B	A313	<i>Phylloscopus bonelli</i>						P					X	
B	A315	<i>Phylloscopus collybita</i>						C					X	
B	A314	<i>Phylloscopus sibilatrix</i>						P					X	
B	A316	<i>Phylloscopus trochilus</i>						C					X	
I		<i>Pimelia bajula</i>						C						X
M	2016	<i>Pipistrellus kuhlii</i>						P	X					
I		<i>Platyderus cyprius</i>						R					X	
I		<i>Psalidium aurigerum</i>						C					X	

NATURA 2000 DATA FORM

I		<i>Pyrgomorpha cypria</i>						C				X		
B	A118	<i>Rallus aquaticus</i>						P					X	
A	5360	<i>Rana bedriagae</i>						C					X	
B	A275	<i>Saxicola rubetra</i>						C					X	
B	A276	<i>Saxicola torquatus</i>						C					X	
I		<i>Selidosema tamsi</i>						P				X		
B	A361	<i>Serinus serinus</i>						R					X	
I		<i>Sphodromantis viridis</i>						R						X
I		<i>Stenopterus similatus mehli</i>						P				X		
B	A210	<i>Streptopelia turtur</i>						R					X	
B	A311	<i>Sylvia atricapilla</i>						C					X	
B	A310	<i>Sylvia borin</i>						P					X	
B	A304	<i>Sylvia cantillans</i>						R					X	
B	A309	<i>Sylvia communis</i>						C					X	
B	A303	<i>Sylvia conspicillata</i>						C					X	

NATURA 2000 DATA FORM

B	A308	<i>Sylvia curruca</i>						C					X	
B	A306	<i>Sylvia hortensis</i>						V					X	
B	A305	<i>Sylvia melanocephala</i>						C					X	
B	A004	<i>Tachybaptus ruficollis</i>						P					X	
R	6094	<i>Telescopus fallax cyprianus</i>						R	X			X	X	
P		<i>Teucrium micropodioides</i>						C				X		
I		<i>Trachyderma philistina</i>						C						X
B	A164	<i>Tringa nebularia</i>						P					X	
B	A165	<i>Tringa ochropus</i>						P					X	
B	A165	<i>Tringa ochropus</i>						P					X	
B	A122	<i>Tringa totanus</i>						P					X	
I		<i>Trithemis arteriosa</i>												X
I		<i>Trochoidea liebetruti</i>						R				X	X	
I		<i>Truxalis eximia cypria</i>						C				X		

NATURA 2000 DATA FORM

B	A283	<i>Turdus merula</i>						R					X	
B	A285	<i>Turdus philomelos</i>						C					X	
R	2444	<i>Typhlops vermicularis</i>						C					X	
B	A213	<i>Tyto alba</i>						P					X	
B	A232	<i>Upupa epops</i>						P					X	
M	2115	<i>Vulpes vulpes</i>						P						X
I		<i>Zizeeria karsandra</i>						C						X

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles.

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name.

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes.

NP: in case that a species is no longer present in the site enter: x (optional).

Unit: i = Individuals, p = pairs or other units according to the standardised list of population units and codes in accordance with Articles 12 and 17 reporting, (see reference portal).

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present.

Motivation categories: IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D other reason

4. SITE DESCRIPTION

4.1. GENERAL SITE CHARACTER:

CODE	HABITAT CLASS	COVER (%)
N03	Salt marshes, Salt pastures, Salt steppes	0,35
N04	Coastal sand dunes, Sand beaches, Machair	0,06
N06	Inland water bodies (Standing water, Running water)	1,01
N08	Heath, Scrub, Maquis and Garrigue, Phygrana	13,56
N09	Dry grassland, Steppes	0,54
N15	Other arable land	73,69
N16	Broad-leaved deciduous woodland	2,31
N21	Non-forest areas cultivated with woody plants (including Orchards, groves, Vineyards, Dehesas)	5,05
N23	Other land (including Towns, Villages, Roads, Waste places, Mines, Industrial sites)	3,41
	TOTAL HABITAT COVER	100%

Other site characteristics:

According to its geological characteristics, the site belongs to the zone of the autochthonous sedimentary rocks of the island. This zone consists of bentonitic clays, volcanoclastics, melange, marls, cherts, limestones, calcarenites, evaporates and clastic sediments.

Most of the site is cultivated land and the natural vegetation types are found at the boundaries of the cultivations; at abandoned cultivations; or at locations where the landscape does not allow the use of land for agricultural or other activities.

The dominant vegetation type includes shrubs like *Zyziphus lotus*, which form an excellent habitat type *5220 in abandoned cultivations, or scattered trees like *Crataegus azarolus* at the banks of the cultivations. Additionally, garigue is relatively common at the site.

The temporarily permeated salt marshes at the northern part of the site have specific ecological characteristics (i.e. sandy substrate and high salinity) thus the vegetation found consists of salt tolerant plants like *Suaeda vera* and *Tamarix tetragyna*. Habitat type (92D0) formed by *Tamarix tetragyna*, is in bad conservation status, probably due to repeated human induced fires.

4.2. QUALITY AND IMPORTANCE:

Eight Annex I habitat types of Schedule 1 to the Protection and Management of Nature and Wildlife Ordinance are found at the site, of which three (*3170, *5220 and *6220) are priority habitat types. The most abundant natural habitat type at the site is * Arborescent matorral

with *Zyziphus* (Habitat type *5220), which in many areas is of great value and in excellent conservation status, due to a long period without human impact. This priority habitat is very rare in Cyprus and Ayios Nicolaos hosts a significant part of it as well as some of the best examples. *Sarcopoterium spinosum* phryganas, Pseudo-steppes and Mediterranean temporary ponds add to the quality of the site. About 100 plant taxa can be found on site, most of which are common representatives of the flora of the island and the eastern Mediterranean. The flora of the site includes many endemic plants and orchid species. Within the site two bat species of Schedule 2 to the Protection and Management of Nature and Wildlife Ordinance have been recorded. Five other important species of mammals are also found in the site, including the bat species *Pipistrellus kuhlii* of Schedule 3 to the Protection and Management of Nature and Wildlife Ordinance and the endemic rodents *Acomys nesiotus* and *Mus cypriacus*. Furthermore, *Suncus etruscus*, which is included in Annex III to the Bern Convention, *Hemiechinus auritus*, for which Cyprus is the western limit of its distribution and *Vulpes vulpes*, the only carnivorous mammal of Cyprus, are found in the site. Twenty-nine bird species of Schedule 1 to the Protection and Management of Nature and Wildlife Ordinance and 80 other important bird species included in Annex III to the Bern Convention occur at the site. Seventeen reptile species have been recorded within the site. Nine taxa are included in Schedule 3 to the Protection and Management of Nature and Wildlife Ordinance and four taxa are endemics. All of them are included in Annex III of the Bern Convention. The three amphibians occurring in Cyprus and included in Annex III of the Bern Convention have been found in the site. Thirty-seven important invertebrates (8 snails and 29 insects) have been recorded. More specifically, 28 are endemics, *Helix texta* is nearly endemic and eight are found at the limit of their distribution.

4.3. THREATS, PRESSURES AND ACTIVITIES WITH IMPACTS ON THE SITE:

The most important impacts and activities with high effect on the site

NEGATIVE IMPACTS			
RANK	THREATS AND PRESSURES (code)	POLLUTION (optional) (code)	INSIDE/OUTSIDE
H	A06.01.01		b
H	E04.02		b
H	G04.01		b
H	J01.01		b

POSITIVE IMPACTS			
RANK	ACTIVITIES, MANAGEMENT (code)	POLLUTION (optional) (code)	INSIDE/OUTSIDE

Further important impacts with medium/ low effect on the site

NEGATIVE IMPACTS			
RANK	THREATS AND PRESSURES (code)	POLLUTION (optional) (code)	INSIDE/OUTSIDE
L	A05.01		b
M	A07		b
M	A08		b
M	M01.02		b

POSITIVE IMPACTS			
RANK	ACTIVITIES, MANAGEMENT (code)	POLLUTION (optional) (code)	INSIDE/OUTSIDE

Rank: H = high, M = medium, L = low.

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification, T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions.

i = inside, o = outside, b = both.

4.4. OWNERSHIP (optional)

TYPE		(%)
PUBLIC	NATIONAL/FEDERAL	
	STATE/PROVINCE	39,1
	LOCAL/MUNICIPAL	
	ANY PUBLIC	
JOINT OR CO-OWNERSHIP		
PRIVATE		60,9
UNKNOWN		
SUM		100%

4.5. DOCUMENTATION:

Alziar, G, 1995: *Contribution a l'histoire naturelle de l'ile de Chypre*. Coleoptera: Curculionidae I - Biocosme Mesogéen, Nice 12, 65-82 [3.3]

Austin K., Small E., Lemaire J-M., Jeanne C., Makris C., & Georgiou G 2008. *A revised catalogue of the Carabidae (Coleoptera) of Cyprus*. Ann. Mus. Nat. Nice XXIII (Supl.)-2008 [3.3]

Baier F., Sparrow D. J. & Wield H. J. 2009, *The Amphibians and Reptiles of Cyprus*. Edition Chimaira. Frankfurt am Main. [3.3]

Burfield, I. & Bommel, V.F. 2004. *Birds in Europe estimates and conservation status*. Cambridge, UK: Birdlife International. (Birdlife Conservation Series No. 12. [3.2. 3.3]

Convention on International Trade in Endangered Species of Wild Fauna and Flora, 2014. Appendices I, II and III, valid from 24 June 2014 (early release). Available at: <http://www.cites.org/eng/app/appendices.php> [Accessed 13 June 2014].

Council of European Communities, 1992. Council Directive 92/43/EEC of 21 May 1992 on the conservation of natural habitats and of wild fauna and flora. *OJ L 206*, p.7. Available at:

Cyprus Ornithological Society (Ptinologikos Sindesmos Kiprou). *Annual Reports*, 1997 - 2012. [3.2. 3.3]

David A. Bannerman & W. Mary Bannerman. *'Birds of Cyprus'*. 1958. Printed by Oliver and Boyd Ltd., Edinburgh, 385 pp. [3.2. 3.3]

David J. Whaley and J. C. Dawes. 2003. *Cyprus Breeding Birds Atlas*. Cyprus. 40pp. [3.2. 3.3]

Delipetrou P. & Christodoulou Ch., 2010. Identification and mapping guide of the Annex I habitat types of the Directive 92/43/EEC in Cyprus (in Greek). Department of Environment, Ministry of Agriculture, Natural Resources and Environment.

Department of Forests 2014. Personal communication – Charalambos Christodoulou

Department of Forests 2014. Personal communication – Charis Nicolaou

Department of Lands and Surveys, 2012. Data Files; Google Earth boundaries. Official Website of the Ministry of Interior, Department of Lands and Surveys. Republic of Cyprus. Available at:

Economic Commission for Europe. 1991. *European red list of globally threatened animals and plants*. United Nations, New York. p. 150 [3.2. 3.3]

European Commission (2013). Interpretation Manual of European Union Habitats - EUR28.

Fischer, H. & Lewandowski S. 2005. *Die Geometriden-Fauna von Zypern – eine Überarbeitung aller bisher bekannten Arten. (1. Teil) (Lepidoptera: Geometridae, Geometrinae, Ennominae)*. Atalanta (Juni 2005) 36(1/2): 291-310, Würzburg [3.3]

Geological Survey Department, 2005 – 2014. The Geology of Cyprus; Sediments. Official Website of the Ministry of Agriculture, Natural Resources and Environment, Geological Survey Department. Republic of Cyprus. Available at:

Georghiou, g, p, 1977. *The insects and mites of Cyprus - Kiphissia*, Athens [3.3]

Grimm, R, 1991. *Tenebrioniden von der Insel Zypern (Insecta: Coleoptera) - Biocosme mesogéen 8*, 15-49. [3.3]

Hand R., Hadjikyriakou G. N. & Christodoulou C. S. (ed.), 2011 – 2014. Flora of Cyprus – a dynamic checklist. Available at: <http://www.flora-of-cyprus.eu/> [Accessed 13 June 2014].

http://ec.europa.eu/environment/nature/legislation/habitatsdirective/index_en.htm [Accessed 13 June 2014].

http://www.moa.gov.cy/moa/gsd/gsd.nsf/dmlSediments_en/dmlSediments_en?OpenDocument [Accessed 13 June 2014].

http://www.moi.gov.cy/moi/dls/dls.nsf/dmldata_gr/dmldata_gr?OpenDocument [Accessed 13 June 2014].

Iezekiel, S., Makris Ch. & A. Antoniou. 2004. *Important Bird Areas of European Union Importance in Cyprus*. Birdlife Cyprus -Nicosia Cyprus. [3.2. 3.3]

Jeanne, C, 1986. *Contribution a l' histoire naturell de l' ile de Chypre. Les coleopteres carabiques. - Biocosme Méditerranéen 3*, 1-33 [3.3]

Kourtellarides L. 1998. *Breeding Birds of Cyprus with check-list of the birds of Cyprus*. Bank of Cyprus Group and Cyprus Ornithological Society. Nicosia, Cyprus. p. 299. [3.2. 3.3]

Makris, C. 2003. *Butterflies of Cyprus*, Bank of Cyprus Cultural Foundation, 230pp Nicosia 2003. [3.3]

Meikle R. D., 1977. *Flora of Cyprus*, vol. 1. London: Bentham-Moxon Trust, Royal Botanic Gardens, Kew.

Meikle R. D., 1985. *Flora of Cyprus*, vol. 2. London: Bentham-Moxon Trust, Royal Botanic Gardens, Kew.

Nicolaou Ch., Paphilis P., Limperakis P. 2014. *Reptiles and Amphibians of Cyprus* (in Greek). Herpetological Association of Cyprus, pages 240. Nicosia [3.3]

Peter Flint & Peter Stewart. 1992. *The Birds of Cyprus*, British Ornithologists' Union, (Second Edition), ISBN 090 744 61 40., 234 pp. [3.2. 3.3]

Tsintides T. C., Christodoulou C.S., Delipetrou P. & Georghiou K. (ed.), 2007. *The Red Data Book of the flora of Cyprus*. Lefkosia: Cyprus Forestry Association.

Tumbrinck, J. 2006. *An annotated checklist of the Orthoptera (Saltatoria) of Cyprus – Articulata*, 21(2), 121-159. [3.3]

UCN -WCMC. 1988. IUCN Red List of Threatened Animals. IUCN. p. 154. [3.3]

LINK(S):

.....

5. SITE PROTECTION STATUS (OPTIONAL)

5.1. DESIGNATION TYPES at National and Regional level:

CODE	COVER (%)

CODE	COVER (%)

CODE	COVER (%)

5.2. RELATION OF THE DESCRIBED SITE WITH OTHER SITES:

designated at National or Regional level

CODE	SITENAME	TYPE	% COVER
-	-	-	-

designated at International level

TYPE	SITENAME	TYPE	% COVER
Ramsar	-----		
Biogenetic reserve	-----		
Eurodiploma site	-----		
Biosphere reserve	-----		
Barcelona Conv.	-----		
Bucharest Conv.	-----		
World Heritage	-----		
HELCOM	-----		
OSPAR	-----		
Protected Marine Area	-----		
Other	-----		

5.3. SITE DESIGNATION

A large part of the area is designated as a Game Reserve.

6. SITE MANAGEMENT

6.1. BODY (IES) RESPONSIBLE FOR THE SITE MANAGEMENT:

Organisation: SBA Administration

Address: HQ SBAA, BLOCK C, EPISKOPI, BFPO53

E-mail: SBAA-HQ-ChiefOffrPA@mod.uk

6.2. MANAGEMENT PLAN(S):

An actual management plan does exist:

- | | |
|-------------------------------------|------------------------|
| <input type="checkbox"/> | YES: Name:
Link: |
| <input type="checkbox"/> | NO, BUT IN PREPARATION |
| <input checked="" type="checkbox"/> | NO |

6.3. CONSERVATION MEASURES (OPTIONAL)

Specific conservation measures will be proposed in the management plan of the site that will be elaborated in the future.

7. MAP OF THE SITE

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

YES

NO

REFERENCE(S) TO THE ORIGINAL MAP USED FOR THE DIGITISATION OF THE ELECTRONIC BOUNDARIES (OPTIONAL)